



ADB ATILIM DUNNAGE BAG
CONTAINER AIR BAG



ABOUT US

Our company ATILIM ZİRAİ İLAÇLAMA was founded in 2000 with head office is in Istanbul Pendik. From our foundation until today, in line with the demands of our valued customers, we continue to provide 24/7 services in container fumigation and disinfection issues with our competent experienced personnel in every region of Turkey by keeping the customer satisfaction in priority.

In addition to our services, in 2011 we began to provide services in container air bag production and lashing with the investments we made on freight security.

As of January 2016, we are continuing the production of airbags with our trademark ADB ATILIM DUNNAGE BAG.

Our firm, which aims to make production above the international quality standards with the importance we attach to raw materials and quality control we use in production, is well proud of being preferred by the major companies of Turkey.





KRAFT CONTAINER AIR BAG



KRAFT CONTAINER AIR BAG

When it comes to transport safety, container air bag is the major equipment that makes matter.

Airbags are preferred because they are easy to apply, economical, come in many sizes and thicknesses, and they have high stability. Airbags are preferred because they are resistant to pressure; they are durable, flexible and protect cargo against tons of pressure until point of arrival. Airbags, which can be used with all kinds of products in ships, planes, trucks, railways and containers, are placed in spaces between goods or pallets during loading. In this way it supports the merchandise, provides balance and prevents the goods from overturning.

All our Products are Recycling Applied.

Our Airbags are very easy to use and as shown in the pictures, they are easily placed in the headers and inflated with compressed air, and in this way your goods are ready for a safe long journey.

Our Airbags, which are resistant to long journeys that may last for months, may stay in a constant position for a very long time and have opened a new milestone in the field of transportation in that they can enter every shape and form and last for a long time in all climatic conditions.



Kraft Container Airbag

EXPLANATION	Kraft Airbag
LEVEL	Level 2
COLOR	Brown Kraft Paper
EXTERIOR MATERIAL	86 gr/m ² Polypropylene over Fabric Kraft Paper Laminated 100 gr (m ²)
INTERNAL PLATE	Pa-Pe 70 Mikron 5 Layer Polyamide Barrier
USE PRESSURE	3 PSI (90x2.25)
EXPLOSION PRESSURE	5 PSI (90x2.25)
PACKAGE MEASUREMENT	100 X 120 X 60
PACKAGE CONTENT/PIECE	100 PIECE





POLYPROPYLENE CONTAINER AIR BAG



ADB ATILIM
DUNNAGE BAG

POLYPROPYLENE CONTAINER AIR BAG

When it comes to transport safety, container air bag is the major equipment that makes matter.

Airbags are preferred because they are easy to apply, economical, come in many sizes and thicknesses, and they have high stability. Airbags are preferred because they are resistant to pressure; they are durable, flexible and protect cargo against tons of pressure until point of arrival.

Airbags, which can be used with all kinds of products in ships, planes, trucks, railways and containers, are placed in spaces between goods or pallets during loading. In this way it supports the merchandise, provides balance and prevents the goods from overturning.

All our Products are Recycling Applied.

The polypropylene container airbags that we produce from a special fabric obtained after the reinforcement of the polypropylene fabric by lamination after resistance against water and moisture is enhanced, can resist tons of pressure, absolutely unaffected by water and moisture, and securely reaches destination without damage to the cargo.

Robust, reliable and easily inflatable container airbags play a major role in protecting the cargo and minimizing transport damage, and are much less costly than other load securing methods.



Polypropylene Airbag

EXPLANATION	Polypropylene Airbag
LEVEL	Level 2
COLOR	White Yellow Stripes Unprinted
EXTERNAL MATERIALS	86 gr/mt Polypropylene Fabric
INTERNAL PALON	Pa-Pe 70 Micron 5th Floor Polyamide Barrier
USAGE PRESSURE	3 PSI (90x2.25)
EXPLOSION PRESSURE	8 PSI (90x2.25)
ENCLOSURE MEASUREMENT	100 X 120 X 60
ENCLOSURE CONTENT / PIECE	100 PIECE

KRAFT and POLYPROPYLENE CONTAINER AIR BAG

LEVEL 0				
A.D.B DUNNAGE / LEVEL 0 Is Designed For Truck And Lorry Transportation.				
<p>It Provides Protection Against Damage To Your Cargo In Bumpy Land Road Transportation.</p> <p>Kraft And Polypropylene Types Of All Of Our Products Are Available.</p> <p><</p>				
Use And Benefits <p>Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.</p> <p>It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.</p> <p>It Is Never Affected By Moisture And Water.</p> <p>All Of Our Products Are Stitched.</p> <p>Our Products Are Made Of 100% Recycled Materials.</p>				
A.D.B DUNNAGE LEVEL 0	CERTIFICATE	MAX. PRESSURE	APPLICATION	TRANSPORTATION MODE
SEVİYE 0	N/A	2 PSI	PARALLEL TO MOBILITY DIRECTION	TRUCK/LORRY

LEVEL 1				
A.D.B DUNNAGE / LEVEL 1 Is Designed For Container Transportation.				
<p>It Is Suitable For Land Road Transportation Vehicles Like Truck And Lorry And Containers.</p> <p>It Provides Protection For Your Products In Bumpy Land Road Transportation.</p> <p>Kraft And Polypropylene Types Of All Of Our Products Are Available.</p>				
Use And Benefits <p>Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.</p> <p>It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.</p> <p>It Is Never Affected By Moisture And Water.</p> <p>All Of Our Products Are Stitched. Our Products Are Made Of 100% Recycled Materials.</p>				
A.D.B DUNNAGE LEVEL 1	CERTIFICATE	MAX.PRESSURE	APPLICATION	TRANSPORTATION MODE
LEVEL 1	AAR LEVEL 1	2.5 PSI	PARALLEL TO MOBILITY DIRECTION	LORRY/ CONTAINER

KRAFT and POLYPROPYLENE CONTAINER AIR BAG

LEVEL 2

A.D.B DUNNAGE / LEVEL 2
Is Designed For Marine Container Transportation.

It Provides Protection Against Possible Damage To Your Cargo Due To Strikes Of Waves.

Use And Benefits

Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.
It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.
It Is Never Affected By Moisture And Water.
All Of Our Products Are Stitched.
Our Products Are Made Of 100% Recycled Materials.

A.D.B DUNNAGE LEVEL 2	CERTIFICATE	MAX.PRESSURE	APPLICATION	TRANSPORTATION MODE
LEVEL 2	AAR LEVEL 2	3-4 PSI	VERTICAL TO MOBILITY DIRECTION	WAGON / CONTAINER

LEVEL 3

A.D.B DUNNAGE / LEVEL 3
Is Designed For Marine And Railways Wagon And Container Transportation.

It Provides Protection Against Possible Damage To Your Cargo Due To Vibration And Leaning Of Vessels In Marine Transport And Balances Pressure On The Cargo In Railways During Braking And Vibration.

Use And Benefits

Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.
It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.
It Is Never Affected By Moisture And Water.
All Of Our Products Are Stitched.
Our Products Are Made Of 100% Recycled Materials.

A.D.B DUNNAGE LEVEL 3	CERTIFICATE	MAX.PRESSURE	APPLICATION	TRANSPORTATION MODE
LEVEL 3	AAR LEVEL 3	6 PSI	VERTICAL TO MOBILITY DIRECTION	WAGON / CONTAINER

KRAFT and POLYPROPYLENE CONTAINER AIR BAG

LEVEL 4				
A.D.B DUNNAGE /LEVEL 4 Is Designed For Heavy Loads.				
<p>These Types Of Dunnages Are Suitable Especially For Heavy Railways And Marine Ways Cargo Transportation</p> <p>It Provides Protection Against Possible Damage To Your Cargo In Bulk Vessel Loading, Heavy And Weight Rail Ways Transportation (Construction Materials, Concrete, Timber, Iron And Heavy Paper Rolls).</p>				
<p>Use And Benefits</p> <p>Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.</p> <p>It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.</p> <p>It Is Never Affected By Moisture And Water.</p> <p>All Of Our Products Are Stitched.</p> <p>Our Products Are Made Of 100% Recycled Materials.</p>				
A.D.B DUNNAGE LEVEL 4	CERTIFICATE	MAX.PRESSURE	APPLICATION	TRANSPORTATION MODE
LEVEL 4	AAR LEVEL 4	8 PSI	VERTICAL TO MOBILITY DIRECTION / HORIZONTAL USE	WAGON / VESSEL / CONTAINER

LEVEL 5				
A.D.B DUNNAGE /LEVEL 5 Is Designed For Heavy Loads.				
<p>Level 5 Dunnages Are Are Suitable Especially For Heavy Railways And Marine Ways Cargo Transportation Like Level 4 Dunnages.</p> <p>Level 5 Dunnages Are Preferred For Heavier Loads Because They Are Resistant Against Higher Pressures.</p> <p>It Provides Protection Against Possible Damage To Your Cargo In Bulk Vessel Loading, Heavy And Weight Rail Ways Transportation (Marble And Concrete Blocks, Sheet Rolls, Construction Materials, Concrete, Timber, Iron And Heavy Paper Rolls And Similar Heavy Loads).</p>				
<p>Use And Benefits</p> <p>Special Formula Film Patented By Our Company Is Used In All Of Our Dunnages.</p> <p>It Is Suitable For Multiple Uses Thanks To Its Quick Filling And Deflating Valve.</p> <p>It Is Never Affected By Moisture And Water.</p> <p>All Of Our Products Are Stitched.</p> <p>Our Products Are Made Of 100% Recycled Materials.</p>				
A.D.B DUNNAGE LEVEL 5	CERTIFICATE	MAX.PRESSURE	APPLICATION	TRANSPORTATION MODE
LEVEL 5	AAR LEVEL 5	10 PSI	VERTICAL TO MOBILITY DIRECTION / HORIZONTAL USE	WAGON / VESSEL / CONTAINER

KRAFT and POLYPROPYLENE CONTAINER AIR BAG MEASURES

60 x 60	90 x 60	100 x 60	120 x 60
60 x 70	90 x 70	100 x 70	120 x 70
60 x 80	90 x 80	100 x 80	120 x 80
60 x 90	90 x 90	100 x 90	120 x 90
60 x 100	90 x 100	100 x 100	120 x 100
60 x 110	90 x 110	100 x 110	120 x 110
60 x 120	90 x 120	100 x 120	120 x 120
60 x 130	90 x 130	100 x 130	120 x 130
60 x 140	90 x 140	100 x 140	120 x 140
60 x 150	90 x 150	100 x 150	120 x 150
60 x 160	90 x 160	100 x 160	120 x 160
60 x 170	90 x 170	100 x 170	120 x 170
60 x 180	90 x 180	100 x 180	120 x 180
60 x 190	90 x 190	100 x 190	120 x 190
60 x 200	90 x 200	100 x 200	120 x 200
60 x 210	90 x 210	100 x 210	120 x 210
60 x 225	90 x 225	100 x 225	120 x 225
60 x 240	90 x 240	100 x 240	120 x 240
60 x 260	90 x 260	100 x 260	120 x 260
60 x 300	90 x 300	100 x 300	120 x 300

Special production is done according to demand except the specified dimensions.

